

## Building Catalogue



Boundary Precast



Industrial Precast



Building Precast

Siteworks



Groundworks



## Quality Precast Solutions



## Groundworks

4 BT Junction Boxes

5 Road Gullies

## Siteworks

6 Garden Kerbs

7 Road Kerbs

8 Dwarf Walls & Paving Flags

9 Water Channels & Drainage Channels

10 Graveyard Surrounds & Gully Surrounds

11 Bull Nose Steps

12 Saddleback & Flat Top Copings

## Boundary Precast

13 Featheredge & Bespoke Copings

14 Pillar Caps

18 Fence Posts

19 QuikFence

20 QuikBloc

21 Redi-Rock

## Building Precast

22 Chimney Copings & Fireplace Units

23 Heads & Door Thresholds

24 Sills

26 Delivery Options

27 Photos





*All measurements in mm (unless otherwise stated) and correct at time of printing*




# Groundworks

## BT J4 Junction Boxes

BT Boxes provide easy access for cable jointing and maintenance. This reinforced concrete unit eliminates the need for on-site building.

### Benefits:


- Reinforced walls
- Polystyrene knock-out for variety of cable entry points
- 100mm walls to enable chamber wall height to be raised with blockwork
- 30mm diameter holes to facilitate lifting
- Weight of box is 620kg



# Road Gullies

Trapped gullies eliminate odours through the use of a water seal while untrapped gullies and silt boxes are used for collection of surface water.

Silt Boxes come with one hole tapped out, the remaining three can be tapped out if required.



Silt Box

Untrapped Gully

Trapped Gully

Optional Knockout Hole

C250 Grates are sold separately and suitable for use with all gullies.

**"Moore Concrete are always very helpful, only very recently they went the extra mile for a large customer which is brilliant."**

Julie Cox at Mole Valley Farmers Ltd, Devon.






# Siteworks

## Garden Kerbs

	Total Height	Bottom Width	Top Width	Base Height	Quantity per pallet
6" x 2" Round Top Kerb	150	50	43	-	120
6" x 2" Flat Top Kerb	150	50	43	-	120
6" x 3" Flat Top Kerb	150	75	70	-	84
9" x 2" Flat Top Kerb	225	52	50	-	40
6" x 3" Splayed Kerb	150	75	40	70	84
7" x 4" Splayed Kerb	175	100	55	80	40
Kerbs are 915mm long					

We manufacture a range of kerbs for both garden and road use. These stylish kerbs come in different shapes to suit every taste and décor.



Garden Kerbs are not suitable for driving over with a vehicle.



6" x 2" Flat Top Kerbs



6" x 2" Round Top Kerbs



6" x 3" Splayed Kerbs



6" x 3" Flat Top Kerbs




7" x 4" Splayed Kerbs


9" x 2" Flat Top Kerbs can be used to cast an in-situ step or for domestic use.

# Road Kerbs


Suitable for roads, yards and gardens




Half Batter Kerb




Bull Nose Kerb



Right Hand Side Drop Kerb



Left Hand Side Drop Kerb



Quadrant Kerb

Half Batter Kerbs	Total Height	Bottom Width	Top Width	Base Height	Length	Quantity per pallet
6" x 5" Kerb	150	125	100	55	915	16
8" x 4" Kerb	200	100	85	100	915	30
10" x 5" Kerb	225	125	100	150	915	16
10" x 5" Thirds	225	125	100	150	305	48
10" x 5" Halves	255	125	100	150	450	32



8" x 4" Half Batter Kerb



6 x 5 Bull Nose Kerb



Left Hand Side Drop Kerb

Bull Nose Kerb	Height	Width	Quantity per pallet
10" x 5" Kerb	255	125	16
6" x 5" Kerb	150	125	16
Kerbs are 915mm long			

	Total Height	Width	Base Height	Length
Drop Kerb (Left and Right)	255	125	150	915
Quadrant (to suit 10" x 5" Half Batter)	255	125		



10" x 5" Half Batter Kerb



Quadrant Kerb



10" x 5" Half Batter Kerb

Left Hand Side Drop Kerb

6" x 5" Bull Nose Kerb

Right Hand Side Drop Kerb


10" x 5" Half Batter Kerb

Quadrant Kerb



# Dwarf Walls


	Total Height	Bottom Width	Top Width	Base Height	Quantity per pallet
10"	225	90	25	160	32
15"	380	90	25	285	24
18"	450	90	25	355	16
24"	600	90	25	508	16
30"	760	90	30	640	6
Dwarf walls are 915mm long					



All dwarf walls are the same width to fit together for a seamless rise.  
They can retain a small amount of earth.

*Note: 30" dwarf wall has a different profile to the rest*

# Paving Flags



Product Type	Length	Width	Height	Quantity per pallet
2' x 2'	600	600	50	20
3' x 2'	900	600	50	20

Our grey flags create a soft appearance which is ideal for domestic and commercial use.  
They are slightly dimpled for a non-slip finish.




**“Moore’s have a great team and excellent products.  
We’re very satisfied with the service.”**

*Alex Saul from Gibbs and Dandy, St Ives, Part of the Jewson Group.*



# Water Channels

Product Type	Length	Width	Height	Quantity per pallet	Depth of Dish
6" x 2" Water Channel	610	150	50	120	12
6" x 3" Water Channel	610	160	75	84	25
10" x 5" Pressed Water Channel	915	255	125	16	15



Water channels provide effective water management. They are suitable for both domestic and commercial use.

*Cannot drive over*



6" x 2" Water Channel



6" x 3" Water Channel



10" x 5" Pressed Water Channel




10" x 10" Slotted Drainage Channel

# Drainage Channels

Product Type	Length	Width	Height	Quantity per pallet
10" x 10" Slotted Drainage Channel	915	255	255	10
Suitable for driving over				

Slotted drainage channels are suitable for pedestrian precincts, driveways, industrial areas and commercial developments with lorry traffic. Channels can be connected to our silt boxes by a plastic pipe.

*Suitable to drive over*



"The Slotted Drainage Channels were perfect for what we needed, the quality was spot on. Moore Concrete are a great company and we'll definitely be making future purchases."

Ray Hinton from Hinton Electrical, purchasing for Yodel Depots in Wrexham and Leeds.

# Graveyard Surrounds

Also known as graveyard subs, these simple fair faced concrete cuboids provide a tidy surround to a grave or a solid foundation for a marble surround.





Length	Width	Depth
1220	100	140
2440	100	140
2745	100	140
Other lengths available to order		

# Gully Surrounds

Product Type	Thickness	Opening	Internal Length	Height
9" x 7" Slim	70	180	230	70
9" x 9" Slim	70	230	230	70
7" x 7" Standard	135	180	180	70
10" x 7" Standard	135	165	255	70

Concrete Gully Surrounds prevent silt from entering into a domestic drain.





# Bull Nose Steps

The ideal solution for a front door step or a set of garden steps. The standard finish is attractive for any landscape. The bull nose is available on the front face and either the right or left hand side.

Product Type	Top Width	Bottom Width	Height
Bull Nose Step	400	370	150
Available in lengths up to 2m long			



“The quality of the products are never in question. We’ve always had good experiences working with Moore’s and are very satisfied with the overall service.”

*Niall from M&P Supplies purchased heads, sills, posts and gullies.*




# Boundary Precast

Wall copings provide a stylish finish to all types of wall design. This high quality product deflects rain water away from the face of the wall, preventing discolouration.

## Saddleback Copings

Saddleback Coping	Width	Highest Point	Side Height	Length	Quantity per pallet
6"	150	44	25	600	70
7"	180	65	44	915	60
9"	230	70	51	915	50
12"	305	76	51	915	32
13"	350	102	51	915	21
16"	405	102	64	1000	20
21"	520	117	75	1000	12
24"	600	130	100	600	4



Saddleback copings deflect water in two directions. They are most commonly used on boundary walls.



## Flat Top Copings

Flat Top Copings	Width	Length	Depth
6"	150	610	45




# Featheredge Copings



Featheredge Coping	Width	Height (1)	Height(2)	Quantity per pallet
9"	230	60	45	50
13"	330	64	51	30
16"	400	102	64	16
18"	465	102	51	16
21"	525	100	50	16
24"	610	102	51	16
All featheredge copings are 915mm long				

Featheredge copings provide a modern finish. They can be used as a parapet coping on a roof to direct water in one direction.



# Bespoke Copings

Bespoke copings can be made to customer requirements. Bespoke product examples include chamfered edged and humpback. Please contact the building team for special requests.



# Pillar Caps




Low Pyramid



Medium Pyramid



Deep Pyramid



Type	Width	Total Height	Base Height
12"	305	70	38
16"	405	76	44
18"	445	102	51
22"	560	127	51
24"	610	127	51
27"	685	127	51
31"	790	152	52
36"	920	90	60

Type	Width	Total Height	Base Height
22"	560	200	75


Type	Width	Total Height	Base Height
22"	560	305	100
37"	940	350	60

**Note:** the 36" pillar cap has a low pitch, this may appear flat.






### Flat Top



Type	Width	Height
28"	705	110
33"	830	110
37"	930	110
<i>Rectangular caps can be made in this style</i>		

### Featheredge




Type	Height 1	Height 2	Width
13"	51	64	330
16"	64	102	400
18"	51	102	450
21"	44	95	535
24"	51	102	610
<i>To suit Featheredge Wall Coping</i>			




# Pillar Caps


Regal Pillar Cap



Stepped Pillar Cap



Bishop Pillar Cap




Bottom Width	Middle Width	Top Width	Height	Combination Code
560	705	790	240	DCC22 + PC31
685	830	900	190	DCC27 + PC36 (Low Pitch)
785	930	940	450	DCC31 + PC37D

Bottom Width	Top Width	Height	Combination Code
705	560	240	DCC22 + PC22
830	685	240	DCC27 + PC27
930	785	260	DCC31 + PC31

Width	Total Height	Base Height
1000	300	100

Caution with handling

Premium Bishop Pillar Cap



Bottom Width	Middle Width	Top Width	Height	Combination Code
785	930	1000	400	DCC31 + PC1D

Caution with handling





Our extensive range of pillar caps provide a stunning finish to any design.



**"I have received many compliments about my wall copings and pillar caps, they are excellent products!"**

*Residential customer, September 2017*

# Fence Posts



Fence Posts for Timber		
Length	Thickness	Number of holes
1380 (4'6)	100 x 100	2
1525 (5')	100 x 100	3
1750 (6')	100 x 100	3
2280 (7'6)	100 x 100	3
	125 x 125	
2400 (8')	100 x 100	3
2700 (9')	100 x 100	4
2900 (9'6)	125 x 125	3

Bespoke lengths available to order

Fence Posts for Wire		
1980 (6'6)	125 x 125	6
Corner strainer posts and struts available		

## Key Benefits

- Robust, durable option for fencing projects
- Low maintenance solution—doesn't require treating or staining
- Not susceptible to the affects of moisture meaning no risk of ground rot
- Uniform finish along the fencing line
- Holes are preformed so no need for drilling



**“We have a very close working relationship with Moore Concrete, they are a professional company who are a pleasure to work with. Their name is continually improving in the GB market.”**


Dianne Harrison from MJ Harrison Supplies, Ayrshire, Scotland.




# QuikFence

These posts are slotted to accommodate concrete gravel boards and/or timber fencing with no drilling or bolting required. They have a maximum height up to 3800mm.


Gravel boards are 1830mm long x 300mm wide x 40mm thick with 50mm thick ends.




Corner Post



End Post



Intermediate Post



Three Way Post

Heights available (mm)						
1800	2100	2400	2700	3000	3300	3600
Maximum height up to 3800mm						

## Fast Drying Concrete Post Mix

This fast drying product has a 5—10 minute setting time at 20°C. Once set the mix can be covered with earth, grass or decorative aggregate as required. It is available in 20kg bags.



# QuikBloc


QuikBloc is a lego style block and is ideal for both temporary and permanent structures. The interlocking blocks create a strong structure with no need for bonding or fixing. Installation is fast and simple as the blocks are manoeuvred using the lifting eye cast into the top of each block. This means that the blocks can be removed or relocated at any time.

### Uses include

- Storage Bays
- Security Perimeters
- Scaffolding
- Earth Retention
- Partition Walls
- Material Segregation
- Coastal Defence

### Suitable for the storage of bulk materials including

- Aggregate
- Grain
- Road Salt / Grit
- Root Vegetables
- Recyclables / Waste
- Fertiliser
- Woodchip / Pellets
- Coal



Product Type	L x W x H (mm)	Weight (kg)
Full Block (Standard)	1400 x 700 x 700	1600
Half Block (Standard)	700 x 700 x 700	800
Full Block (Large)	1600 x 800 x 800	2350
Half Block (Large)	800 x 800 x 800	1175



“QuikBloc from Moore Concrete has revolutionised our storage system. They create a stable storage solution that is resilient to machine damage. The simplicity of the system allows us to add bays as required improving both the efficiency and cost of storage of materials.”

Luke McMullan from Quarystore, Ballymena.  
[www.quarystore.co.uk](http://www.quarystore.co.uk)



# REDI-ROCK® Freestanding walls


These versatile blocks can be used as

- Steps
- Columns
- Garden planters
- Wall seating

## Benefits


- Beautiful cobblestone finish
- Easy to design incorporating corners and curves
- Textured on 2 or 3 sides as required
- Dry laid, making them quick and easy to install, in any weather
- Easy to dismantle and reposition
- Minimal maintenance required

Half blocks and curves available to order



Top Freestanding 46"


Product	Length	Width	Height
Freestanding blocks	1170	616	450
Cap Blocks	1168	724	152




Top Garden Freestanding 46"



Cap Blocks – Two sided  
Curve 46" x 28.5"



Freestanding Middle 46"



Free Standing – Bottom 46"



**"We love our Redi-Rock walls they look fantastic!"**

*Amy Nicholls from Milford Waterfront, Wales, where Redi-Rock blocks were used to create a crazy golf course.*



# Building Precast

## Chimney Copings

Protect the top of the chimney from erosion by rainwater.

Deep Chimney Copings	
Width	Standard lengths
560	560
	915
	1015
685	685
	785
	915
	1015
	1145
	1220
	1370
785	785
	1015
	1295
Other lengths available to order	

Picture Frame Chimney Copings	
Width	Standard lengths
685	915
	1015
	1145
	1220
	1370
785	1420
	785
	1015
900	900
	1420
	1500
Other lengths available to order	


Standard Chimney Copings	
Width	Standard lengths
560	560
	1015
685	685
	1015
Fixed sizes	




12mm lifting eyes for setting into place





True Flue Unit





True Flue Head



Fireplace Heads



Flue Slab—Stock Sizes



## Fireplace Units

True Flue units sit above an open fire to channel smoke up the chimney.

Flue slabs sit above a stove to act as a starter for the flue and improve the aesthetics of a stove. Any size of flue slab can be made to order and the hole can be made to suit the flue by being either centred or offset.





# Heads

Also known as lintels

Product Type	Height	Width	Increments	Max Length
Dry Cast Heads (Ideal for plastering over on blockwork houses)				
6" x 4"	145	95	150	2100
9" x 4"	210	100	150	2700
6" x 6"	140	140	300	3000
Prestressed Heads (Ideal for leaving exposed on brick/stonework houses)				
4" x 3"	100	65	150	2100
6" x 4"	140	100	150	3600
9" x 4"	215	100	300	4800
Prestressed heads are fair faced on the top, bottom and one side as standard. Fair facing is available on both sides by request				

Padstones (For resting steel beams upon)				
6" x 4"	140	100	450	450
9" x 4"	215	100	450	450
Other sizes can be made to order (eg 9" x 6" or 9" x 9")				
Loading tables available on request				



Prestressed heads are suitable for multi-floor buildings according to loading tables. Please contact the building team for more information.



# Door Thresholds

Also know as door blocks/slip-sills


Our 65mm wide x 140mm deep fair faced door blocks are the perfect size to set below your door way to create a threshold. It's thickness and width ensure a perfect fit with most door frames.




Width	Depth	Length
65	140	1000
		1200
		1500
		1800
		2000
		2400
Other lengths can be made to order		

# Sills


Product Type	Width	Back	Face	Max Length
Single Course Sills				
Standard Sill	265	75	45	2700
Sill for Timber Frame <i>(Made to order)</i>	215	75	45	2100
Garage Sill <i>(Made to order)</i>	180	75	45	2600




Product Type	Width	Back Height	Face Height	Max Length
2 Course Sills				
Standard Sill	245	140	90	3200
Sill for Timber Frame	215	140	90	2900
12" Sill for Cladding	305	140	90	3200
14" Sill for Cladding	350	140	90	2500
15" Sill for Cladding	370	140	90	2400



Product Type	Width	Back Height	Face Height	Max Length
2 Course Stooled Sills				
2 Course Standard Stooled Sill	245	140	90	2572
2 Course Stooled Sill for Timber Frame	245	140	90	2685



Corner Sill
<p>1m x 1m standard corner sill to suit:</p> <ul style="list-style-type: none"> <li>- Single course standard sill</li> <li>- 2 course standard sill</li> <li>- 2 course 12" sill for cladding</li> <li>- 2 course timber frame sill</li> </ul> <p>Smaller lengths can be made to order</p> <p><i>Other types of sills can be mitered on site to create corner sills</i></p>



All our corner sills have a post hole

Did you know?

We have a house plan quotation service.

Our dedicated team will assist with quantifying the perfect products for your build.





**Single Course**



**Two Course**



The difference between single course or two course is the face height of the sill - this aesthetic feature can be decided upon by customer preference.

**Brickwork**



**Blockwork (Render)**



Sills are available with 100mm stools for brickwork.

**Stonework on House**



14" and 15" sills for stonework or cladding available to order.

**Bay Sills**



Sills can be made at 45 or 60 degrees to create the perfect bay.

**Curved Sills**



Curved sills can be made to order.

# Delivery Options

- Standard Delivery
- Pallet Distribution for small orders
- Call and Collect  
*Ring into the office to pre-order your products, our yard team will have it ready for collection at a time that suits you.*



We deliver all over the UK and Ireland.  
Contact our Building Sales Team on  
028 2565 2566, Ext 2  
to locate your nearest merchant



**"Moore's products are great quality — collection from yard is very convenient with quick service."**

*Paul Quigg from Harvey Hill Contracts who purchased Fence Posts and Kerbs.*



# Project





*Health and  
Safety*

*Quality*

*Efficiency*

*Resolute*

*Respect for  
all*



**INVESTORS IN PEOPLE®**  
We invest in people Gold

Moore Concrete Products Ltd, Caherty House, 41 Woodside Road, Ballymena,  
County Antrim, Northern Ireland, BT42 4QH

**Tel:** +44 (0) 28 2565 2566 (Ext 2)

**Web:** [www.moore-concrete.com](http://www.moore-concrete.com)

**Fax:** +44 (0) 28 2565 8480

**Email:** [orders@moore-concrete.com](mailto:orders@moore-concrete.com)

 **MOORE CONCRETE**  
**Quality Precast Solutions**